

ÖkoRess III

Pilot Screening of Environmental Hazard Potentials of Mine Sites

Factsheet:

Minas Itabirito Iron Ore Complex

Vale S.A., Brazil

ID: 13

Note

The qualitative assessment of Environmental Hazard Potentials (EHPs) in this factsheet was conducted according to the method developed in the precursor project ÖkoRess I “Discussion of the environmental limits of primary raw material extraction and development of a method for assessing the environmental availability of raw materials to further develop the criticality concept”¹ (Dehoust et al. 2017a). The measurement instructions applied here are described in Dehoust et al. 2017b. The method is tested and further developed within this project (ÖkoRess III).

The information in this factsheet refers exclusively to publicly available, designated sources that have been classified as serious by the authors. It is specifically pointed out that no statement is made about the implementation and quality of agreements or standards that are applied. The implementation of agreements through memberships, certifications, etc. is the responsibility of the companies.

The surface extension of each mine area has been estimated based on publically accessible satellite images as official land-use plans from the public authorities or mine operators are not consistently available. It therefore only corresponds to the apparent area where mining, processing facilities, heaps, etc. and related infrastructure are clearly identifiable.

The fact sheets make no claim to completeness of all relevant voluntary standards. Mentioning a membership in one of the listed voluntary standards does not imply an assessment of the suitability of the standard in itself, nor does it make any statement about the member's success in implementation.

¹TEXTE 87/2017 <https://www.umweltbundesamt.de/publikationen/discussion-of-the-environmental-limits-of-primary>

Minas Itabirito Iron Ore Complex

Iron ore

General information 	
Indicator or criteria	Description and values
Name of mine	Minas Itabirito Iron Ore Complex
Description of mining area	Minas Itabirito's integrated operations (since 1942) include the Sapecado, Galinheiro, João Pereira and Segredo mines and three major beneficiation plants (Vale 2019). The mine sites are located in two distinct groups (Sapecado – Galinheiro and João Pereira- Segredo mines) about 16 km apart from each other. Located in the southwestern border of the Iron Quadrangle of Minas Gerais they consist mainly of banded iron formations.
Surface extension	53.97km ² 53.97km ² (Image date: 27.05.2019; Viewing height: 8.73 km) (Google Earth)
In operation since	1942 1942 (Vale 2019)
Operator	Vale S.A.
Owner	Vale S.A.
Closest town	Sapecado and Galinheiro Mines: 7 km NW of Itabirito; João Pereira and Segredo mines : 8 km north of Congonhas
Province	State of Minas Gerais
Country	Brazil
Longitude	-43.51582°
Latitude	-20.13352°
Altitude	1400 m a.s.l. Between 1100 and 1400 m a.s.l. (Google Earth)

Main product and by-products	Main-product: iron ore; by-products: none
On-site processing stages	Standard crushing, classification, grinding and concentration steps (floatation, magnetic separation) to produce sinter feed, lump ore and pellet feed in 3 major beneficiation plants located at the mining complex; transport to smelters off-site (MDO 2019; Vale 2019).
Annual production	Minas Itabirito 2017: 35.5 Mt (Vale 2019)
Proven Reserves	436.9 Mt with 54.8 % of Fe (Vale 2019)
Probable Reserves	3,243.7 Mt with 43.7 % ore grade (Vale 2019)

Geology 				
Indicator or criteria	Description and values	Explanation	Assessment result	Data quality
Preconditions for acid mine drainage (AMD)	The Minas Itabirito Complex (MIC) comprises oxidic iron ore minerals such as hematite, itabirite and lateritic ore. No sulphides are reported. Limited geochemical preconditions for acid mine drainage are given.	Iron is a siderophilic element, therefore no preconditions for acid mine drainage for this ore type are given. According to the site-related Oekoress measurement instructions (Dehoust et al. 2017b), siderophilic ore deposits are classified with a medium environmental hazard potential (EHP).	Medium	A = high, can be derived directly from available data
Paragenesis with heavy metals	No indication of heavy metal could be determined for MIC. According to Wellmer and Hageluecken (2015) heavy metals and arsenic may have a limited relevance the extraction of oxidic iron ores.	According to the measurement instructions (Dehoust et al. 2017b) heavy metals like lead, zinc, copper, chrome and arsenic may potentially be associated to oxidic iron ores. The EHP is thus classified as medium.	Medium	B1 = medium, can be estimated on the basis of available information

Paragenesis with radioactive components	No indication of paragenesis with thorium and uranium or other radioactive components could be determined.	In accordance with the measurement instructions, iron ore deposits are evaluated with a medium EHP, if no further information is available. This class division is based on average thorium and uranium activity levels in Chinese iron ore deposits (Hua 2011; USGS 2015).	Medium	B1 = medium, can be estimated on the basis of available information
Deposit size	According to annual report in 2018 (Vale 2019) proven ore reserves amount to 436.9 Mt with 54.8 % of Fe and probable reserves amount to 3,243.7 Mt with 43.7 % ore grade, totalling 3,680.5 Mt.	Considering the total reserves of about 3680.5 Mt and adding the already extracted amount of iron ore extracted in the past since 1942 (76 years x 10 Mt = 760 Mt) the total deposit size sums up to more than 4500 Mt. Assuming an average grade of average 50 % Fe the total Fe amounts to around 2200 Mt . According to Petrow et al. in Dehoust et al., (2017), the complex is thus classified as large and evaluated with a high EPH.	High	B1 = medium, can be estimated on the basis of available information
Ore grade	54.8 % (Vale 2019)	With 54.8 % average grade and in accordance with the measurement instructions (Priester et al. 2019) the specific grade is classified as average grade with a medium EHP.	Medium	A = high, can be derived directly from available data

Technology 				
Indicator or criteria	Description and values	Explanation	Evaluation result	Data quality

Mine type	Open pit mining (Vale 2019)	Mining is restricted to the horizontal and vertical extension of the ore body/mineralized zone; depleted pits are used for waste disposal. Therefore and according to the measurement instructions a Medium EHP can be assigned.	Medium	B1 = medium, can be estimated on the basis of available information
Use of auxiliary substances	Mining by truck and shovel-loader; drilling and blasting. 3 major beneficiation plants are in operation (Vale 2019), where processing standard procedures are carried out: crushing, classification, grinding, concentration and magnetic separation. Concentration steps such as floatation with organic compounds like ether amines as collectors and starch depressants are utilised according to G.M. Lopes (2009).	This indicator is evaluated with a high EHP due to the use of potentially toxic substances.	High	B2 = medium, classified according to measurement instructions
Mining waste	The tailing ponds with upstream dam construction such as Forquilha I (98 m high and 12 million m ³), Forquilha II (96 m high and 20.8 million m ³), Forquilha III (77 m high and 23 million m ³), Group (47 m high and 0.8 million m ³) in Joao Perreira and Segredo Mines are upstream dams and since the dam burst disaster of Brumadinho considered of high risk. They are presently in the phase of decommissioning (Alvarenga 2019; ANM 2019). The main tailing pond in Sapecado – Galinheiro Mine is Maravilha II with a downstream dam construction, 97 m height and 97 million m ³ of tailings (SNISB n.d.).	According to ICOLD, the tailing ponds in Joao Perreira-Segredo Mine with a combined volume of 56.64 million m ³ and 78 to 98 m height are considered a large dam system (>than 3 million cubic metres); the same applies for Maravilha II pond in Sapecado-Galinheiro Mine; consequently all tailing ponds in MIC are large and classified with a high EHP.	High	B1 = medium, can be estimated on the basis of available information

Remediation measures	Vale's upstream dams Forquilha I-3 and Grupo are to be decommissioned (drainage, removal of waste, restoration of an appropriate topography and of the soil, reforestation) in the next 3 years (Alvarenga 2019; ANM 2019).	The complex nature of the planned decommissioning of the upstream dams and the in the past reported deficiencies in state and private governance in relation to dam safety and remediation measures may point to the possibility that compliance with the standards and remediation measures is not assured, so that a high EHP must be assigned.	High	B2 = medium, classified according to measurement instructions
----------------------	---	---	-------------	---

Framework conditions natural environment



Indicator or criteria	Description and values	Explanation	Evaluation result	Data quality
Accident hazard due to floods, earthquake, storms, landslides	The rating system for the 4 sub-indicators uses georeferenced data from publicly available risk maps (see measurement instructions). Metrics are directly taken from the given risk assessment. The indicator total is determined by the highest hazard level of the sub-indicators.	For the Itabirito Iron Ore Complex there is a medium EHP for landslides which determines the evaluation result. The EHP for the other sub-indicators is low.	Medium	A = high, can be derived directly from available data
Water Stress Index (WSI) und desert areas	The WSI by Pfister et al. (2009) provides characterization factors on the relative water availability at watershed level. Absolute water shortages in dry areas is supplemented by desert areas. The highest hazard level of the sub-indicators determines the total result.	The water stress for the mining area is low and it is not situated in a desert area, which results in a low EHP.	Low	A = high, can be derived directly from available data

Protected areas and AZE sites	Georeferenced data for designated protected areas are used to assess hazards posed by mining extraction. The metric to evaluate EHPs corresponds to the method first described in the draft standard of the Initiative for Responsible Mining Assurance (IRMA 2014).	The Galinheiro and Sapecado pit of the mining complex are situated in a protected area which determines a medium EHP.	Medium	A = high, can be derived directly from available data
-------------------------------	--	---	--------	---

State Governance

Indicators	
WGI 1 -Voice and Accountability	61.58 ^{ooo}
WGI 2 -Political Stability and Absence of Violence/ Terrorism	31.43 ^{ooo}
WGI 3 - Government Effectiveness	41.83 ^{ooo}
WGI 4 -Regulatory Quality	51.44 ^{ooo}
WGI 5 - Rule of Law	43.75 ^{ooo}
WGI 6 -Control of Corruption	36.06 ^{ooo}
EPI (Environmental Performance Index)	60.7

EITI membership	No
International Agreements	
ILO 176	Brazil is part of ILO 176
Others	Reaffirmation of commitment with the 2030 Agenda for Sustainable Development in 2017 (Mercosur countries). Signature of the Paris Agreement on Climate Change and participation at COP 22. (MDNP 2018)
Legal framework	

<p>Areas of Law: Environment</p>	<p>Comprehensive legal framework on federal level with norms regarding licensing (compulsory for mining and industry), environmental impact assessment including the need for public consultations during the primary licence process and Environmental management and mine closure plan in the course the installation licence (MineHutte 2019), environmental crimes, waste management, water and groundwater protection, contaminated land exist (Leonhardt / Stump 2018). Federal states have legislation and regulation autonomy, however (with exception of some states in the industrialized southeast) limited enforcement capacity (ibid.). "Polluter pays" and joint liability are basic principles regarding recovery/mitigation of impacts. The public prosecutor being represented by the independent public ministry (Ministerio Publico) on federal and state level has controlling function also over environmental authorities (ibid.). Environmental and mining authorities still need to align licensing procedures. Sector Plans for Mitigation and Adaptation to Climate Change in Mining aims at the reduction of CO2 in the mining sector (MDNP 2018).</p>
<p>Areas of Law: Occupational Health and Safety (OHS)</p>	<p>Brazil implements the National Norm NR-22 since 1999 through its Ministry of Labour. The norm specifies the conditions for safe working and health conditions in mining, in accordance to ILO 176 criteria and is also responsible for the inspections of compliance with occupational health and safety (OHS) regulations (Cattabriga / Castro 2014). Companies inform all accidents to the INSS, an agency of the Ministry of Social Welfare (MPAS), which administers a compulsory employer-funded compensation insurance system (Elgstrand et al. 2013). The National Department for Mineral Production – DNPM published the Mining Regulatory Standard in 2001, which supports the establishment of specific sectorial and state standards of OHS in Mining (DNPM 2001) .</p>

Corporate Social Responsibility (CSR)

Voluntary Standards	
Aluminium Stewardship Initiative (ASI): Is the mine owning company a member?	Not applicable Not applicable
Aluminium Stewardship Initiative (ASI): Is the mine certified?	Not applicable Not applicable
International Council of Mining & Metals (ICMM): Is the mine owning company a member?	Yes Yes (ICMM 2019)
Towards Sustainable Mining (TSM) Is the mine owning company a member of the Mining Association of Canada (MAC)?	Yes Yes (MAC 2019)
Towards Sustainable Mining (TSM) outside Canada: Are TSM standards implemented*?	No information available No information obtained
Initiative for Responsible Mining Assurance (IRMA): Is the mine owning company a member?	No No (IRMA 2018)
Initiative for Responsible Mining Assurance (IRMA): Is the mine certified?	No No (IRMA 2018)
Responsible Copper (RC): Is the mine owning company a member of RC?	Not applicable Not applicable
Responsible Copper (RC): Is the mine certified?	Not applicable Not applicable
Responsible Mining Index (RMI): Has the mine been rated?	No No (RMI 2018)
Responsible Mining Index Company indicator „Working conditions“	0.575 0.575 (RMI 2018)

Responsible Mining Index Company indicator „Environmental sustainability“	0.391 0.391 (RMI 2018)
Responsible Steel (RS): Is the mine owner a member of the RS?	No information obtained No information obtained
Responsible Steel (RS): Is the mine certified?	No information obtained No information obtained
Australian Steel Stewardship Forum (ASSF): Is the owner a member of the ASSF?	No No (ASSF 2019)
Australian Steel Stewardship Forum: Is the mine certified?	No No (ASSF 2019)
ISO and CSR reporting	
ISO 14001 (ISO 14004): Is the mine ISO 14001 certified?	Yes Yes (Vale n.d.)
CSR-directive 2014/95/EU: Does the mine owning company have its headquarters in an EU country?	No No (RMI 2018)
OECD Guidelines: Does the company have its headquarters in a signatory state?	Yes Yes (OECD 2019)
ISO 26000: Does the mine implement ISO 26000?*	No No
Banking Standards	
WB Standards / IFC Performance Standards: Is the mine financed to a major extend by the world bank?	No information obtained No information obtained
Equator Principles (EP): Is the mine financed to a major extend by a bank adherent to the EP?	No information obtained No information obtained

*by companies own account.

Sources

- Alvarenga, D. (2019): Veja onde estão e saiba mais sobre as 10 barragens que a Vale promete eliminar. In: G1.Globo. <https://g1.globo.com/economia/noticia/2019/02/05/veja-onde-estao-e-saiba-mais-sobre-as-10-barragens-que-a-vale-promete-eliminar.ghtml>. (29.07.2019).
- ANM (2019): Cadastro Nacional de Barragens de Mineração. In: Agência Nacional de Mineração (ANM). <http://www.anm.gov.br/assuntos/barragens/pasta-cadastro-nacional-de-barragens-de-mineracao/cadastro-nacional-de-barragens-de-mineracao>. (29.07.2019).
- ASSF (2019): Membership. In: Australian Steel Stewardship Forum (ASSF). <http://steelstewardship.com/membership/>. (01.11.2019).
- Cattabriga, L.; Castro, N. F. (2014): Saúde e segurança no trabalho. In: Tecnologia de rochas Ornamentais. CETEM/MCTI, Rio de Janeiro.
- Dehoust, G.; Manhart, A.; Möck, A.; Kießling, L.; Vogt, R.; Kämper, C.; Giegrich, J.; Auberger, A.; Priester, M.; Rechlin, A.; Dolega, P. (2017a): Erörterung ökologischer Grenzen der Primärrohstoffgewinnung und Entwicklung einer Methode zur Bewertung der ökologischen Rohstoffverfügbarkeit zur Weiterentwicklung des Kritikalitätskonzeptes (ökoRess I) - Konzeptband. Umweltbundesamt, Dessau-Roßlau.
- Dehoust, G.; Manhart, A.; Möck, A.; Kießling, L.; Vogt, R.; Kämper, C.; Giegrich, J.; Auberger, A.; Priester, M.; Rechlin, A.; Dolega, P. (2017b): Erörterung ökologischer Grenzen der Primärrohstoffgewinnung und Entwicklung einer Methode zur Bewertung der ökologischen Rohstoffverfügbarkeit zur Weiterentwicklung des Kritikalitätskonzeptes (ökoRess I) - Methode für einen standortbezogenen Ansatz. Umweltbundesamt, Dessau-Roßlau.
- DNPM (2001): Portaria No 237, de 18 de Outubro 2001. Departamento Nacional de Produção Mineral (DNPM). <http://www.dnpm.gov.br/aceso-a-informacao/legislacao/portarias-do-diretor-geral-do-dnpm/portarias-do-diretor-geral/portaria-no-237-em-18-10-2001-do-diretor-geral-do-dnpm> (13.05.2019).
- EITI (2019): EITI Countries. In: Extractive Industries Transparency Initiative. <https://eiti.org/countries>. (16.04.2019).
- Elgstrand, K.; Vingård, E. (2013): Occupational safety and health in mining: anthology on the situation in 16 mining countries. Occupational and Environmental Medicine, University of Gothenburg, Göteborg.

- Hua, L. (2011): The Situation of NORM in Non-Uranium Mining in China. China National Nuclear safety Administration. <http://www.icrp.org/docs/Liu%20Hua%20NORM%20in%20Non-Uranium%20Mining%20in%20China.pdf> (22.01.2016).
- ICMM (2019): Member companies. In: International Council on Mining and Metals (ICMM). <https://www.icmm.com/en-gb/members/member-companies>. (16.04.2019).
- ILO (2017): Ratifications for Brazil. In: International Labour Organization (ILO). https://www.ilo.org/dyn/normlex/en/f?p=NORMLEXPUB:11200:0::NO::P11200_COUNTRY_ID:102571. (13.05.2019).
- IRMA (2014): Standard for Responsible Mining. Draft v1.0. Initiative for Responsible Mining Assurance (IRMA). https://responsiblemining.net/wp-content/uploads/2018/09/IRMA_Standard_Draft_v1.007-14.pdf.
- IRMA (2018): Responsible Mining Map. In: Initiative for Responsible Mining Assurance (IRMA). <https://map.responsiblemining.net/>. (16.04.2019).
- Leonhardt, R. D.; Stump, D. (2018): Brazil: Environment and Climate Change Law 2019. In: International Comparative Legal Guides. <https://iclg.com/practice-areas/environment-and-climate-change-laws-and-regulations/brazil>. (13.05.2019).
- Lopes, G. M. (2009): Flotação direta de minério de ferro. Escola de Minas da Universidade Federal de Ouro Preto, Ouro Preto.
- MAC (2019): Our Members. In: The Mining Association of Canada (MAC). <http://mining.ca/members-partners/our-members>. (16.04.2019).
- MDNP (2018): Country Fiche Brazil. In: EU - Latin America Mineral Development Network Platform (MDNP). https://www.mineralplatform.eu/system/files/CountryFiche/MDNP_country-fiche_Brazil_02.pdf. (19.09.2019).
- MDO (2019): Major Mines & Projects - Minas Itabirito Mine. In: Mining Data Online (MDO). <https://miningdataonline.com/property/1364/Minas-Itabirito-Complex.aspx>. (19.09.2019).
- MineHutte (2019): Brazil - Mining & Environmental Law & Regulations. In: MineHutte - Regulatory Risk Ratings & Analysis of Global Mining Laws. <https://minehutte.com/jurisdiction/brazil/>. (13.05.2019).
- OECD (2019): Member Countries. In: Organisation for Economic Co-operation and Development (OECD). <https://www.oecd.org/about/members-and-partners/>. (05.11.2019).
- Pfister, S.; Koehler, A.; Hellweg, S. (2009): Assessing the Environmental Impacts of Freshwater Consumption in LCA. In: Environmental science & technology. Vol. 43, No.11, S. 4098–4104.
- Priester, M.; Ericsson, M.; Dolega, P.; Löf, O. (2019): Mineral Grades: An important indicator for environmental impact of mineral exploitation. In: Mineral Economics. Raw Materials Report. Springer Nature Vol. 32, No.2, S. 127–256.
- RMI (2018): Vale - Company report. In: Responsible Mining Index (RMI). </en/companies/30>. (13.05.2019).
- SNISB (n.d.): Mapa Interativo das Barragens Cadastradas no Sistema. In: Sistema Nacional de Informações sobre Segurança de Barragens (SNISB). <http://www.snisb.gov.br/portal/snisb/mapas-tematicos-e-relatorios/tema-1-1>. (29.07.2019).

USGS (2015): Mineral Commodity Summaries 2015. U S Geological Survey, Washington.

Vale (2017): Environmental Management. <http://www.vale.com/EN/aboutvale/transparencia-e-sustentabilidade/ambiental-gestao-ambiental/Pages/default.aspx>. (12.11.2019).

Vale (2019): Form 20-F. http://www.vale.com/EN/investors/information-market/annual-reports/20f/20FDocs/Vale_20-F%20FY2018%20-%20final_i.pdf.

Wellmer, F.-W.; Hagelüken, C. (2015): The Feedback Control Cycle of Mineral Supply, Increase of Raw Material Efficiency, and Sustainable Development. In: Minerals. Vol. 5, No.4, S. 815–836.

Wendling, Z. A.; Emerson, J. W.; de Sherbinin, A.; Esty, D. C. (2020): 2020 Environmental Performance Index. Yale Center for Environmental Law & Policy, New Haven, CT. <https://epi.yale.edu/epi-results/2020/component/epi> (11.08.2020).

WGI (2019): The Worldwide Governance Indicators (WGI). The World Bank. <http://info.worldbank.org/governance/WGI/#home>. (10.12.2018).

A Glossary

Table 1 Legend

Environmental hazard potential



low



medium



high

Data quality



low



medium



high

- No concrete information, no general specifications of the measurement instructions, expert estimation.
- Assessment not possible due to lack of data at the site, as there is also no evidence for an assessment and there are no generalized assessment rules.

- Assessable on the basis of available information.
- Generalized classification according to measurement instructions.

- Can be derived directly from available data.

B Abbreviations

EHP	Environmental hazard potential
FY	Financial year
kt	Kilo tonnes
m a.s.l.	Meters above sea level
Mt	Million tonnes
OHS	Occupational Health and Safety
t	tonnes
TSF	Tailing Storage Facility
WGI	World Governance Indicators
WHS	Work Health and Safety

C Imprint

Publisher:

German Environment Agency
Section III 2.2
PO Box 14 06
06813 Dessau-Rosslau, Germany
Tel: +49 340-2103-0
info@umweltbundesamt.de
www.umweltbundesamt.de

Contact:

Jan Kosmol – jan.kosmol@uba.de

Project period: 03/2018 –02/2021

The research project has been commissioned by the German Environment Agency as part of the Environmental Research Plan of the Federal Ministry for the Environment, Nature Conservation and Nuclear Safety (BMU) and funded by the Federal Government (FKZ: 3717 35 306 0).

Contractor:

Projekt-Consult GmbH
Eulenkruogstrasse 82
22359 Hamburg, Germany
T +49 (40) 60306-740
F +49 (40) 60306-199
www.projekt-consult.de

Contact:

Dr. Aissa Rechlin – aissa.rechlin@projekt-consult.de
Christopher Demel – christopher.demel@projekt-consult.de

Project Partners:

- ifeu – Institut für Energie-und Umweltforschung Heidelberg gGmbH (Institute for Energy and Environmental Research)
- Öko-Institut e.V. (Institute for Applied Ecology)